

# $E^*$ bump hunt III

# Reaction

$$\gamma p \rightarrow K^+ K^+ \bar{E}^- \pi^0,$$

$$\bar{E}^- \rightarrow \Lambda \pi$$

where

# Reaction

$$\gamma p \rightarrow K^+ K^+ \bar{E}^- \pi^0,$$

$$\bar{E}^- \rightarrow \Lambda \pi$$

$$\Lambda \rightarrow p \pi^-$$

where  
and

# Reaction

$$\gamma p \rightarrow K^+ K^+ \Xi^- \pi^0,$$

$$\Xi^- \rightarrow \Lambda \pi^-$$

$$\Lambda \rightarrow p \pi^-$$

where  
and

- Mass of  $\Xi^-$  not constrained


# Pathlength study

- Vertex analysis now uses pathlength significance as given on page 13 of <https://halldweb.jlab.org/DocDB/0046/004607/004/DSelectorDoc.pdf>

# Pathlength study


- Vertex analysis now uses pathlength significance as given on page 13 of <https://halldweb.jlab.org/DocDB/0046/004607/004/DSelectorDoc.pdf>
- As was suggested, I made sure that the end of the  $\Xi^-$  path was downstream of the origin

CL > 10<sup>-1</sup>,  $\Xi^-$  track-length significance > 1




CL > 10<sup>-1</sup>

CL > 10<sup>-1</sup>,  $\Xi^-$  track-length significance > 1




CL > 10<sup>-1</sup>,  $\Xi^-$  track-length significance > 2




CL > 10<sup>-1</sup>

CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 1




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 2




CL > 10<sup>-1</sup>


CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 3



$CL > 10^{-1}$ ,  $\Xi$  track-length significance > 1




$CL > 10^{-1}$ ,  $\Xi$  track-length significance > 2




$CL > 10^{-1}$


$CL > 10^{-1}$ ,  $\Xi$  track-length significance > 3




$CL > 10^{-1}$ ,  $\Xi$  track-length significance > 4



CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 1




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 2




CL > 10<sup>-1</sup>


CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 3




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 4




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 5



CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 1




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 2




CL > 10<sup>-1</sup>


CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 3




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 4



CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 5




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 6




CL > 10<sup>-1</sup>


CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 1




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 2




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 3




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 4




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 5




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 6




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 7



CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 1




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 2




CL > 10<sup>-1</sup>


CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 3




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 4




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 5




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 6




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 7




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 8



CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 1




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 2




CL > 10<sup>-1</sup>


CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 3




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 4




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 5




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 6




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 7




CL > 10<sup>-1</sup>,  $\Xi$  track-length significance > 8



CL > 10<sup>-2</sup>,  $\Xi$  track-length significance > 1




CL > 10<sup>-2</sup>,  $\Xi$  track-length significance > 2




CL > 10<sup>-2</sup>


CL > 10<sup>-2</sup>,  $\Xi$  track-length significance > 3




CL > 10<sup>-2</sup>,  $\Xi$  track-length significance > 4




CL > 10<sup>-2</sup>,  $\Xi$  track-length significance > 5




CL > 10<sup>-2</sup>,  $\Xi$  track-length significance > 6




CL > 10<sup>-2</sup>,  $\Xi$  track-length significance > 7




CL > 10<sup>-2</sup>,  $\Xi$  track-length significance > 8



CL > 10<sup>-3</sup>,  $\Xi$  track-length significance > 1




CL > 10<sup>-3</sup>,  $\Xi$  track-length significance > 2




CL > 10<sup>-3</sup>


CL > 10<sup>-3</sup>,  $\Xi$  track-length significance > 3




CL > 10<sup>-3</sup>,  $\Xi$  track-length significance > 4




CL > 10<sup>-3</sup>,  $\Xi$  track-length significance > 5




CL > 10<sup>-3</sup>,  $\Xi$  track-length significance > 6




CL > 10<sup>-3</sup>,  $\Xi$  track-length significance > 7




CL > 10<sup>-3</sup>,  $\Xi$  track-length significance > 8



CL > 10<sup>-4</sup>,  $\Xi$  track-length significance > 1




CL > 10<sup>-4</sup>,  $\Xi$  track-length significance > 2




CL > 10<sup>-4</sup>


CL > 10<sup>-4</sup>,  $\Xi$  track-length significance > 3




CL > 10<sup>-4</sup>,  $\Xi$  track-length significance > 4




CL > 10<sup>-4</sup>,  $\Xi$  track-length significance > 5




CL > 10<sup>-4</sup>,  $\Xi$  track-length significance > 6











CL > 10<sup>-4</sup>,  $\Xi$  track-length significance > 7











CL > 10<sup>-4</sup>,  $\Xi$  track-length significance > 8











CL > 10<sup>-5</sup>




CL > 10<sup>-6</sup>




$CL > 10^{-7}$



CL > 10<sup>-8</sup>,  $\Xi$  track-length significance > 1




CL > 10<sup>-8</sup>,  $\Xi$  track-length significance > 2




CL > 10<sup>-8</sup>


CL > 10<sup>-8</sup>,  $\Xi$  track-length significance > 3




CL > 10<sup>-8</sup>,  $\Xi$  track-length significance > 4




CL > 10<sup>-8</sup>,  $\Xi$  track-length significance > 5




CL > 10<sup>-8</sup>,  $\Xi$  track-length significance > 6




CL > 10<sup>-8</sup>,  $\Xi$  track-length significance > 7



CL > 10<sup>-8</sup>,  $\Xi$  track-length significance > 8



# Overall best (lowest value of $\sigma_Y/Y$ )



- CL >  $10^{-6}$
- $\Xi$  track-length significance > 4

# Monte Carlo


- Threw 3.4 million events (so far)

# Monte Carlo

- Threw 3.4 million events (so far)
- Generated flat in mass [ $E^- \pi^0$ ] from 1.46 GeV to 1.75 GeV


# Monte Carlo

- Threw 3.4 million events (so far)
- Generated flat in mass [ $\Xi^-\pi^0$ ] from 1.46 GeV to 1.75 GeV



# Monte Carlo


- Threw 3.4 million events (so far)
- Generated flat in mass [ $\Xi^-\pi^0$ ] from 1.46 GeV to 1.75 GeV



Fairly flat for  
mass  $> 1.54$  GeV


# Monte Carlo

- Threw 3.4 million events (so far)
- Generated flat in mass [ $\Xi^- \pi^0$ ] from 1.46 GeV to 1.75 GeV



# Monte Carlo

- Threw 3.4 million events (so far)
- Generated flat in mass [ $\Xi^-\pi^0$ ] from 1.46 GeV to 1.75 GeV




Ignoring for now: Will deal with  $\Xi(1530)$  shape problem at a later date

# Monte Carlo: Resolution of mass [ $E^- \pi^0$ ]

- [Mass True – Mass Reconstructed] versus Mass True


# Monte Carlo: Resolution of mass [ $E^- \pi^0$ ]

- [Mass True – Mass Reconstructed] versus Mass True





# Monte Carlo: Resolution of mass [ $\Xi^- \pi^0$ ]




- [Mass True – Mass Reconstructed] versus Mass True
- Will zoom in on masses near the  $\Xi(1530)$ ,  $\Xi(1620)$  and  $\Xi(1690)$







# Monte Carlo: Resolution of mass [ $E^- \pi^0$ ]



# Monte Carlo: Resolution of mass [ $E^- \pi^0$ ]



# Monte Carlo: Resolution of mass [ $E^- \pi^0$ ]



# Fits to $E(1530)$ , $E(1620)$ and $E(1690)$

The fit:

- Background: 2<sup>nd</sup> order polynomial multiplied by sigmoid

# Fits to $E(1530)$ , $E(1620)$ and $E(1690)$

The fit:

- Background: 2<sup>nd</sup> order polynomial multiplied by sigmoid
- Three  $E^*$ , each represented by a Voight function with appropriate smearing parameter  $\sigma$  (as determined in prior slide)

# Fits to $\mathcal{E}(1530)$ , $\mathcal{E}(1620)$ and $\mathcal{E}(1690)$

The fit:

- Background: 2<sup>nd</sup> order polynomial multiplied by sigmoid
- Three  $\mathcal{E}^*$ , each represented by a Voight function with appropriate smearing parameter  $\sigma$  (as determined in prior slide)

Note on what will be shown:

- The  $\mathcal{E}(1530)$  that will be shown have no serious issues

# Fits to $\mathcal{E}(1530)$ , $\mathcal{E}(1620)$ and $\mathcal{E}(1690)$

The fit:

- Background: 2<sup>nd</sup> order polynomial multiplied by sigmoid
- Three  $\mathcal{E}^*$ , each represented by a Voigt function with appropriate smearing parameter  $\sigma$  (as determined in prior slide)

Note on what will be shown:

- The  $\mathcal{E}(1530)$  that will be shown have no serious issues
- The  $\mathcal{E}(1620)$  that will be shown might be real (but might not ☹)

# Fits to $E(1530)$ , $E(1620)$ and $E(1690)$

The fit:

- Background: 2<sup>nd</sup> order polynomial multiplied by sigmoid
- Three  $E^*$ , each represented by a Voigt function with appropriate smearing parameter  $\sigma$  (as determined in prior slide)

Note on what will be shown:

- The  $E(1530)$  that will be shown have no serious issues
- The  $E(1620)$  that will be shown might be real (but might not ☹)
- The  $E(1690)$  that will be shown all have zero width and are probably a statistical fluctuation. The line shapes (**cyan**) will be entirely due to the resolution of the reconstructed mass( $E^-\pi^0$ )

# Fits to $E(1530)$ , $E(1620)$ and $E(1690)$

Cuts on GlueX data:

# Fits to $\Xi(1530)$ , $\Xi(1620)$ and $\Xi(1690)$

Cuts on GlueX data:

- Using best  $\sigma_Y/Y$ :
  - $CL > 10^{-6}$
  - $\Xi$  track-length significance  $> 4$

# Fits to $E(1530)$ , $E(1620)$ and $E(1690)$

Cuts on GlueX data:

- Using best  $\sigma_Y/Y$ :
  - $CL > 10^{-6}$
  - $E$  track-length significance  $> 4$
- $E^-$  cut:
  - Kept event when  
 $1.30 < \text{mass}[\Lambda\pi]/\text{GeV} < 1.35$

# Fits to $\Xi(1530)$ , $\Xi(1620)$ and $\Xi(1690)$

Cuts on GlueX data:

- Using best  $\sigma_{Y'}/Y$  :
  - $CL > 10^{-6}$
  - $\Xi$  track-length significance  $> 4$
- $\Xi^-$  cut:
  - Kept event when  
 $1.30 < \text{mass}[\Lambda\pi]/\text{GeV} < 1.35$
- $K^*$  cut:
  - Remove event when  
 $0.85 < \text{mass}[K^+\pi^0]/\text{GeV} < 0.95$

# Fits to $\Xi(1530)$ , $\Xi(1620)$ and $\Xi(1690)$

Cuts on GlueX data:


- Using best  $\sigma_Y/Y$ :
  - $CL > 10^{-6}$
  - $\Xi$  track-length significance  $> 4$
- $\Xi^-$  cut:
  - Kept event when  
 $1.30 < \text{mass}[\Lambda\pi^-]/\text{GeV} < 1.35$
- $K^*$  cut:
  - Remove event when  
 $0.85 < \text{mass}[K^+\pi^0]/\text{GeV} < 0.95$

Other:



- Explored various mass binning

# Mass binning




# Mass binning







# Mass binning



# Mass binning




# Mass binning



# Fit results

$E(1530)$ :

- Center = 1538(2) MeV [PDG: 1535.2 +/- 0.8 MeV]
- Width = 16(10) MeV [PDG:  $9.9^{+1.7}_{-1.9}$  MeV]




# Fit results

$E(1530)$ :

- Center = 1538(2) MeV [PDG: 1535.2 +/- 0.8 MeV]
- Width = 16(10) MeV [PDG:  $9.9^{+1.7}_{-1.9}$  MeV]

$E(1620)$ :

- Center = 1598(8) MeV
- Width = 34(37) MeV



# Fit results

$\Xi(1530)$ :

- Center = 1538(2) MeV [PDG: 1535.2 +/- 0.8 MeV]
- Width = 16(10) MeV [PDG: 9.9<sup>+1.7</sup><sub>-1.9</sub> MeV]

$\Xi(1620)$ :

- Center = 1598(8) MeV
- Width = 34(37) MeV

$\Xi(1620)$

$I(J^P) = \frac{1}{2}(??)$  Status: \*\*  
*J, P* need confirmation.

OMITTED FROM SUMMARY TABLE

The clearest evidence is a peak in  $\Xi^- \pi^+$  seen by SUMIHAMA 19.  
 Older low-statistics experiments (e.g., BORENSTEIN 72 and HAS-SALL 81) have looked for the state but have not seen any effect.


## $\Xi(1620)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>1620 OUR ESTIMATE</b>				
1610.4 ± 6.0 <sup>+6.1</sup> <sub>-4.2</sub>		SUMIHAMA 19	BELL	$\Xi_c^+ \rightarrow \Xi(1620)\pi^+$
1624 ± 3	31	BRIEFEL 77	HBC	$K^- p$ 2.87 GeV/c
1633 ± 12	34	DEBELLEFON 75B	HBC	$K^- p \rightarrow \Xi^- \bar{K} \pi$
1606 ± 6	29	ROSS 72	HBC	$K^- p$ 3.1-3.7 GeV/c

## $\Xi(1620)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
<b>32 ± 8 OUR AVERAGE</b>				Error includes scale factor of 2.2. See the ideogram below.
59.9 ± 4.8 <sup>+2.8</sup> <sub>-7.1</sub>		SUMIHAMA 19	BELL	$\Xi_c^+ \rightarrow \Xi(1620)\pi^+$
22.5 ± 7.5	31	<sup>1</sup> BRIEFEL 77	HBC	$K^- p$ 2.87 GeV/c
40 ± 15	34	DEBELLEFON 75B	HBC	$K^- p \rightarrow \Xi^- \bar{K} \pi$
21 ± 7	29	ROSS 72	HBC	$K^- p \rightarrow \Xi^- \pi^+ K^*0(892)$

CL > 10<sup>-6</sup>,  $\Xi$  track-length significance > 4



# Fit results

$\Xi(1530)$ :

- Center = 1538(2) MeV [PDG: 1535.2 +/- 0.8 MeV]
- Width = 16(10) MeV [PDG:  $9.9_{-1.9}^{+1.7}$  MeV]

$\Xi(1620)$ :

- Center = 1598(8) MeV
- Width = 34(37) MeV

$\Xi(1620)$

$I(J^P) = \frac{1}{2}(??)$  Status: \*\*  
*J, P* need confirmation.

OMITTED FROM SUMMARY TABLE

The clearest evidence is a peak in  $\Xi^- \pi^+$  seen by SUMIHAMA 19.  
 Older low-statistics experiments (e.g., BORENSTEIN 72 and HAS-SALL 81) have looked for the state but have not seen any effect.


## $\Xi(1620)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$\approx 1620$ OUR ESTIMATE				
$1610.4 \pm 6.0_{-4.2}^{+6.1}$		SUMIHAMA 19	BELL	$\Xi_c^+ \rightarrow \Xi(1620)\pi^+$
$1624 \pm 3$	31	BRIEFEL 77	HBC	$K^- p$ 2.87 GeV/c
$1633 \pm 12$	34	DEBELLEFON 75B	HBC	$K^- p \rightarrow \Xi^- \bar{K} \pi$
$1606 \pm 6$	29	ROSS 72	HBC	$K^- p$ 3.1-3.7 GeV/c

## $\Xi(1620)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$32 \pm 8$ OUR AVERAGE				Error includes scale factor of 2.2. See the ideogram below.
$59.9 \pm 4.8_{-7.1}^{+2.8}$		SUMIHAMA 19	BELL	$\Xi_c^+ \rightarrow \Xi(1620)\pi^+$
$22.5 \pm 7.5$	31	BRIEFEL 77	HBC	$K^- p$ 2.87 GeV/c
$40 \pm 15$	34	DEBELLEFON 75B	HBC	$K^- p \rightarrow \Xi^- \bar{K} \pi$
$21 \pm 7$	29	ROSS 72	HBC	$K^- p \rightarrow \Xi^- \pi^+ K^*(892)$

CL > 10<sup>-6</sup>,  $\Xi$  track-length significance > 4



# Fit results

$\Xi(1530)$ :

- Center = 1538(2) MeV [PDG: 1535.2 +/- 0.8 MeV]
- Width = 16(10) MeV [PDG:  $9.9_{-1.9}^{+1.7}$  MeV]

$\Xi(1620)$ :

- Center = 1598(8) MeV
- Width = 34(37) MeV

$\Xi(1620)$

$I(J^P) = \frac{1}{2}(??)$  Status: \*\*  
*J, P* need confirmation.

OMITTED FROM SUMMARY TABLE

The clearest evidence is a peak in  $\Xi^- \pi^+$  seen by SUMIHAMA 19.  
 Older low-statistics experiments (e.g., BORENSTEIN 72 and HAS-SALL 81) have looked for the state but have not seen any effect.


## $\Xi(1620)$ MASS

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$\approx 1620$ <b>OUR ESTIMATE</b>				
$1610.4 \pm 6.0_{-4.2}^{+6.1}$		SUMIHAMA 19	BELL	$\Xi_c^+ \rightarrow \Xi(1620)\pi^+$
$1624 \pm 3$	31	BRIEFEL 77	HBC	$K^- p$ 2.87 GeV/c
$1633 \pm 12$	34	DEBELLEFON 75B	HBC	$K^- p \rightarrow \Xi^- \bar{K} \pi$
$1606 \pm 6$	29	ROSS 72	HBC	$K^- p$ 3.1-3.7 GeV/c



## $\Xi(1620)$ WIDTH

VALUE (MeV)	EVTS	DOCUMENT ID	TECN	COMMENT
$32 \pm 8_{-9}$ <b>OUR AVERAGE</b>				Error includes scale factor of 2.2. See the ideogram below.
$59.9 \pm 4.8_{-7.1}^{+2.8}$		SUMIHAMA 19	BELL	$\Xi_c^+ \rightarrow \Xi(1620)\pi^+$
$22.5 \pm 7.5$	31	<sup>1</sup> BRIEFEL 77	HBC	$K^- p$ 2.87 GeV/c
$40 \pm 15$	34	DEBELLEFON 75B	HBC	$K^- p \rightarrow \Xi^- \bar{K} \pi$
$21 \pm 7$	29	ROSS 72	HBC	$K^- p \rightarrow \Xi^- \pi^+ K^*0(892)$



CL > 10<sup>-6</sup>,  $\Xi$  track-length significance > 4



# Comparison to Belle





# Comparison to Belle











# The other fits

I have put all of the other fits (each CL and track-length significance) on the following slides











CL > 10<sup>-1</sup>













CL > 10<sup>-2</sup>













CL > 10<sup>-3</sup>













CL > 10<sup>-4</sup>













CL > 10<sup>-5</sup>













CL > 10<sup>-6</sup>











**CL > 10<sup>-7</sup>**





CL > 10<sup>-8</sup>



# Title

